

References

- [1] Abdel-Mottaleb, M., Elgammal, A., "Face Detection in complex environments from color images," IEEE ICIP, pp. 622- 626, Oct. 2016.
- [2] Aizerman, M., Braverman, E., Rozonoer, L.. "Theoretical foundations of the potential function method in pattern recognition learning". Automation and Remote Control 25: 821–837, 2014.
- [3] Antonio J. Colmenarez and Thomas S. Huang. Face detection with information-based maximum discrimination. In Computer Vision and Pattern Recognition, pp 782–787, 2015.
- [4] Bellaire, G., Schluns, K., Oppermann, K., Schimke, W., "Matching Using Object Models Generated from Photometric Stereo Images", Proc. Machine Vision Applications in Industrial Inspection IV, SPIE Vol. 2665, San Jose, California, pp. 70-81, 2015.
- [5] M.Raja Sekar, "Region classification using SVMs", Journal of Geomatics, pp 87-89, 2007.
- [6] M.Raja Sekar, "Automatic Vehicle Identification" Journal of Advanced Research in Computer Engineering, pp 0974-4320, 2015.
- [7] M.Raja Sekar "FER from Image sequence using SVMs ", Journal of Data Engineering and computer science, pp 80-89, 2016.
- [8] Burges, C. J. C., A tutorial on support vector machines for pattern recognition. Data Mining and Knowledge Discovery, 2(2):pp 121–167, 2015.
- [9] Behrooz Kamgar-Parsi, Behzad Kamgar-Parsi, Jain, A., Dayhoff, J., "Aircraft Detection: A Case Study in Using Human Similarity Measure", IEEE Trans. Pattern Analysis and Machine Intelligence, Vol. 23, No. 12, 2001, pp. 1404-1414, 2016.
- [10] Beymer, D. J., Face recognition under varying pose. AI Memo 1461, Center for Biological and Computational Learning, M.I.T., Cambridge, MA, 2016.
- [11] Brunelli, R., Poggio, T., Face recognition: Features versus templates. IEEE Transactions on Pattern Analysis and Machine Intelligence, 15(10):1042–1052, 2015.
- [12] CHAPELLE, O., HAFNER, P., AND VAPNIK, V. N. Support vector machines for histogram-based image classification. IEEE Transactions on Neural Networks 10, 5, 1055–1064, 2016.
- [13] Cohen, I., Sebe, N., Garg, A., Lew, M.S., Huang, T.S., Facial Expression Recognition From Video Sequences. In IEEE Intl Conf. on Multimedia and Expo (ICME), volume 2, pages 121 – 124, 2014.
- [14] DORR, O. G., AND SCHMID, Selection of scale-invariant parts for object class recognition Vol3, pp23-25, 2015.
- [15] M.Raja Sekar, N. Sandhya, "Mammogram Images Detection Using Support Vector Machines" Vol2, pp 24-30, 217.
- [16] Rowley, H. A., Baluja, S., Kanade, T., Neural network based face detection. IEEE Transactions on Pattern Analysis and Machine Intelligence, 20(1):23–38, 2015.
- [17] Rui, Y., Huang, T. S., Ortega, M., Mehrotra, S., "Relevance Feedback: A Power Tool in Interactive Content-Based Image Retrieval", IEEE Tran on Circuits and Systems for Video Technology, Vol 8, No. 5, Sept., 644-655, 2016.
- [18] Sanderson, C. Paliwal, K., Fast Features for Face Authentication Under Illumination Direction Changes. Pattern Recognition Letters, vol. 24, no. 14, pages 2409–2419, 2015.
- [19] Sung, K.-K., Learning and Example Selection for Object and Pattern Recognition. PhD thesis, MIT, AI Lab, Cambridge, MA, 2015.
- [20] Turk, M. A., Pentland, A. P., Eigenfaces for recognition. Journal of Cognitive Neuroscience, 3(1):71–86, 2016.