



Figure 11 Mesh diagram of ANN simulated output data

5. Conclusions

It is seen that very good predictive accuracy is achieved by the neural network with the different training function of test patterns. Based on this successful performance, the neural network can be used to predict future simulation outputs without actually running the simulation process using the same architecture. This will facilitate prompt decision making in deciding number of servers and the queue performance as required for the process.

References

- [1] Erlang, A.K (1917). Solution of some Problems in the Theory of Probabilities of Significance in Automatic Telephone Exchanges, *Elektrotekniker*, vol 13.
- [2] Kendall, D.G. (1951). Some Problems in theory of queues, *Journal of the Royal Statistical Society(B)* Vol. 13 No. 2, pp. 151-157 and 184-185.
- [3] Kendall, D.G. (1953). Stochastic Processes Occurring in the Theory of Queues and their Analysis by the Method of the Imbedded Markov Chain, *Annals of Mathematical Statistics* Vol. 24 No. 3, pp. 338-354.
- [4] Abdelkader, Yousry H., Wohaibi, Maram Al. Computing the Performance Measures in Queueing Models via the Method of Order Statistics, *Journal of Applied Mathematics*, Volume 2011, Article ID 790253, 12 pages,
- [5] Andriansyah, R., Van Woensel, T., Cruz, F.R.B., Duczmal, L (2010). Performance optimization of open zero-buffer multi-server queueing networks, *Computers and Operations Research* Volume 37, Issue 8, pp. 1472-1487
- [6] Aras, A.K., Chen, X., Liu, Y. (2018). Many-server Gaussian limits for overloaded non-Markovian queues with customer abandonment. *Queueing Syst* 89, 81–125 .
- [7] Aveklouris, A., Vlasiou, M., Zwart, B. (2019). Bounds and limit theorems for a layered queueing model in electric vehicle charging, *Queueing Syst* Vol. 93, Issue 1–2, pp 83–137.
- [8] Azadeh, A., Faiz, Z.S., Asadzadeh, S.M., Tavakkoli-Moghaddam, R. (2011).
- [9] An integrated artificial neural network-computer simulation for optimization of complex tandem queue systems, *Mathematics and Computers in Simulation*, Vol.82, Issue 4, pp.666-678.
- [10] Chambers, M., Mount-Campbell, C.A. (2002). Process optimization via neural network metamodeling, *International Journal of Production Economics*, Vol. 79, Issue 2, pp. 93-100.
- [11] Emami, A., Sarvi, M., Asadi Bagloee, S. J. (2019). A neural network algorithm for queue length estimation based on the concept of k-leader connected vehicles *Journal of Modern Transportation* , Volume 27, Issue 4, pp 341–35.
- [12] Hagan, M. T., Menhaj, M. (1994). Training feedforward networks with the Marquardt algorithm, *IEEE Transactions on Neural Networks*, Vol. 5, No.6, pp. 989- 993.