























- [12] Rabiner, L. R. (1989), "A tutorial on hidden Markov models and selected applications in speech recognition," in Proceedings of the IEEE, vol. 77, no. 2, pp. 257-286.
- [13] Rother Kristian, Müller Heiko and Trissl Silke (2004) "Columba: Multidimensional Data Integration of Protein Annotations", In: Rahm E. (eds) Data Integration in the Life Sciences. DILS 2004. Lecture Notes in Computer Science, vol. 2994. Springer, Berlin, Heidelberg.
- [14] Toomula Nishant, Kumar Arun, D Satish Kumar and B Vijaya Shanti (2011), "Biological Databases- Integration of Life Science Data", Journal Computer Science & Systems Biology ,4(5): 087-092. doi:10.4172/jcsb.1000081
- [15] Vassiliadis P. (1998), "Modeling multidimensional databases, cubes and cube operations," Proceedings. Tenth International Conference on Scientific and Statistical Database Management (Cat. No.98TB100243), Capri, Italy, pp. 53-62, doi: 10.1109/SSDM.1998.688111.
- [16] Wang, L., Zhang, A., & Ramanathan, M. (2005), "BioStar models of clinical and genomic data for biomedical data warehouse design", International journal of bioinformatics research and applications, 1(1), 63–80. <https://doi.org/10.1504/IJBRA.2005.006903>
- [17] Yoon Byung-Jun (2009), "Hidden Markov Models and their Applications in Biological Sequence Analysis", Current Genomics.; Vol.10 No. (6), pp. 402–415.