















- [8] Sara Rodríguez, Juan F. De Paz, Javier Bajo, Dante I. Tapia, Belén Pérez: Stereo-MAS: Multi-Agent System for Image Stereo Processing. In: *Bio-Inspired Systems: Computational and Ambient Intelligence*. 10th International Work-Conference on Artificial Neural Networks, IWANN 2009, Salamanca, Spain, June 10-12, Springer Berlin Heidelberg (2009).
- [9] Rodríguez S., Bajo J.: Multi-agent System for Management and Monitoring of Routes Surveillance. In: Corchado E., Abraham A., Pedrycz W. (eds) *Hybrid Artificial Intelligence Systems*. HAIS 2008. Lecture Notes in Computer Science, vol 5271. Springer, Berlin, Heidelberg.
- [10] Rao Muzamal Liaqat, Ali Athar, Nazar Abbas Saqib: Intelligent Agent Based System for Monitoring and Control of Hospital Management System. In: *2nd International Conference on Information Science and Security (ICISS) 2015*, 14-16 Dec. 2015, Seoul, South Korea.
- [11] Nicksson Ckayo Arrais de Freitas and Marcelino Pereira dos Santos Silva: Multiagent System for Image Mining. In: *Multi-agent Systems*, intechopen, pp 123-150, 2017.
- [12] Ioannis N. Athanasiadis and Pericles A. Mitkas: An Agent-Based Intelligent Environmental Monitoring System. In: *Management of Environmental Quality*, An International Journal vol.15, no.3, pp.238-249,2004. Emerald Publishers.
- [13] Faezeh Tafazzoli, Reza Safabakhsh: Model-based human gait recognition using leg and arm movements. *Engineering Applications of Artificial Intelligence*, 23(2010)1237–1246.
- [14] S.L. Dockstader; M.J. Berg; A. Murat Tekalp: Performance analysis of a kinematic human motion model. In *Proceedings. IEEE International Conference on Multimedia and Expo, Lausanne, Switzerland, 26-29 Aug. 2002*.
- [15] M. R. Talib, A. Sha Que, M. K. Hanif, and M. U. Sarwar: GAIT identification using neural network, *International Journal of Advanced Computer Science and Applications*, vol.8, no.9, 2017.
- [16] N. Takemura, Y. Makihara, D. Muramatsu, T. Echigo, and Y. Yagi: Multi-view large population GAIT dataset and its performance evaluation for cross-view GAIT recognition. *IPSJ Transactions on Computer Vision and Applications*, vol. 10, no. 1, p. 4, Feb 2018.
- [17] S. Ramachandran, L. Harika, and C. Giridharan: An intelligent system to detect human suspicious activity using deep neural networks. *Journal of Intelligent Fuzzy Systems*, pp. 1-12, (02) 2019.
- [18] Charu C. Aggarwal: *Neural Networks and Deep Learning*. Springer International Publishing AG, part of Springer Nature 2018.
- [19] <https://medium.com/@RaghavPrabhu/understanding-of-convolutional-neural-network-cnn-deep-learning-99760835f148>
- [20] J. Shi and C. Tomasi: Good features to track. In *Proc. of IEEE Conference on Computer Vision and Pattern Recognition (CVPR'94)*, pages 593–600, Seattle, Washington, June 1994.
- [21] Javier Ortells, María Trinidad Herrero-Ezquerro, Ramón A. Mollineda: Vision-based gait impairment analysis for aided diagnosis. *Medical & Biological Engineering & Computing*, September 2018, Volume 56, Issue 9, pp 1553–1564.