

























- [22] Amit Garg ; Vineet Khandelwal (2020), Segmentation-based MAP despeckling of medical ultrasound images in shearlet domain based on normal inverse Gaussian distribution, IET Image Processing , 14(4), pp 736-746.
- [23] Abd-Elmoniem, et.all(2002)., Real-time speckle reduction and coherence enhancement in ultrasound imaging via nonlinear anisotropic diffusion, IEEE Transactions on Biomedical Engineering 49(9) pp-997-1014.
- [24] Kang, Jinbum, et.all, (2016)“A New Feature-Enhanced Speckle Reduction Method Based on Multiscale Analysis for Ultrasound B-Mode Imaging, IEEE Transactions on Biomedical Engineering 63(6),pp- 1178-1191.
- [25] Raja, K. et. all,(2008) . A hybrid fuzzy-neural system for computer-aided diagnosis of Ultrasound kidney images using prominent features,” Journal of Medical Systems, vol. 32.1, pp. 65-83.
- [26] Noble, J. Alison, and Djamal Boukerroui (2006). “Ultrasound image segmentation: a survey.” Medical Imaging, IEEE Transactions on vol.25.8, pp.987-1010.
- [27] Jun Xie; et.all (2005), “Segmentation of Kidney From Ultrasound Images based on Texture and Shape Priors”, Medical Imaging, IEEE Transactions on , vol. 24.1, pp.45-57.
- [28] R.M. Haralick ,and K.Shanmugam, Dinstein,(1973), Textural Features for Image Classification, Systems, Man and Cybernetics, IEEE Transactions on ,vol.6, pp.610-621.
- [29] Gregorio Andria et all (2013), A Suitable Threshold for Speckle Reduction in Ultrasound Images, IEEE Transactions on Instrumentation and Measurement, Volume: 62 , Issue: 8, pp- 2270 – 2279.
- [30] Hyunho Choi and Jechang Jeong(2018), Despeckling Images Using a Preprocessing Filter and Discrete Wavelet Transform-Based Noise Reduction Techniques, IEEE Sensors Journal Vol18 , Issue: 8 , pp- 3131 – 3139.