[16] Y. Qu, G. Zheng, H. Wu, B. Ji, and H. Ma, "sensors An Energy-E fficient Routing Protocol for Reliable data transmission in wireless body area networks," 2019.
[17] M. Anwar et al., "Green communication for wireless body area networks: Energy aware link efficient routing approach," Sensors (Switzerland), vol. 18, no. 10, 2018.
[18] H. Fouad, "Continuous Health-monitoring for early Detection of Patient by Web Telemedicine System," pp. 76–83, 2001.
[19] B. Latré, B. Braem, I. Moerman, C. Blondia, and P. Demeester, "A survey on wireless body area networks," Wirel. Networks, vol. 17, no. 1, pp. 1–18, 2011.
[20] M. Ghamari, B. Janko, R. S. Sherratt, W. Harwin, R. Piechockic, and C. Soltanpur, "A survey on wireless body area networks for ehealthcare systems in residential environments," Sensors (Switzerland), vol. 16, no. 6, pp. 1–33, 2016.
[21] L. Hughes, X. Wang, and T. Chen, A review of protocol implementations and energy efficient cross-layer design for wireless body area networks, vol. 12, no. 11. 2012.
[22] Oguchi, "Content Transfer and Supporting Technologies in a Home Environment over Next Generation Convergence Home Network - From Vital Information Transfer to Broadband Content Transfer," Int. J. Digit. Content Technol. its Appl., vol. 3, no. 3, 2009.
[23] S. Singh, S. Negi, A. Uniyal, and S. K. Verma, "Modified new-Attempt routing protocol for wireless body area network," Proc. - 2016 Int. Conf. Adv. Comput. Commun. Autom. (Fall), ICACCA 2016, 2016.
[24] Chakrabarti, S. (2000): Data mining for hypertext: A tutorial survey. SIGKDD explorations, 1(2), pp. 1–11.