

References

- [1] J. Nayak, B. Naik, A. K. Jena, R. K. Barik, and H. Das, "Nature Inspired Optimizations in Cloud Computing: Applications and Challenges," 2018, pp. 1–26.
- [2] M. Soltanshahi, R. Asemi, and N. Shafiei, "Energy-aware virtual machines allocation by krill herd algorithm in cloud data centers," *Heliyon*, vol. 5, no. 7, pp. 3–8, 2019.
- [3] S. S. Alreshedi, S. Lu, M. Abd Elaziz, and A. A. Ewees, "Improved multiobjective salp swarm optimization for virtual machine placement in cloud computing," *Human-centric Comput. Inf. Sci.*, vol. 9, no. 1, pp. 1–24, 2019.
- [4] G. Li and Z. Wu, "Ant colony optimization task scheduling algorithm for SWIM based on load balancing," *Futur. Internet*, vol. 11, no. 4, pp. 1–18, 2019.
- [5] G. Natesan and A. Chokkalingam, "Optimal task scheduling in the cloud environment using a mean Grey Wolf Optimization algorithm," *Int. J. Technol.*, vol. 10, no. 1, pp. 126–136, 2019.
- [6] K. Sreenu and M. Sreelatha, "W-Scheduler: whale optimization for task scheduling in cloud computing," *Cluster Comput.*, vol. 22, no. s1, pp. 1087–1098, 2019.
- [7] X. Huang, C. Li, H. Chen, and D. An, "Task scheduling in cloud computing using particle swarm optimization with time varying inertia weight strategies," *Cluster Comput.*, vol. 5, pp. 1–11, 2019.
- [8] D. Chaudhary and B. Kumar, "A New Balanced Particle Swarm Optimisation for Load Scheduling in Cloud Computing," *J. Inf. Knowl. Manag.*, vol. 17, no. 1, 2018.
- [9] O. K. J. Mohammad, "GALO: A new intelligent task scheduling algorithm in cloud computing environment," *Int. J. Eng. Technol.*, vol. 7, no. 4, pp. 2088–2094, 2018.
- [10] X. F. Liu, Z. H. Zhan, J. D. Deng, Y. Li, T. Gu, and J. Zhang, "An Energy Efficient Ant Colony System for Virtual Machine Placement in Cloud Computing," *IEEE Trans. Evol. Comput.*, vol. 22, no. 1, pp. 113–128, 2018.
- [11] S. Elsherbiny, E. Eldaydamony, M. Alrahmawy, and A. E. Reyad, "An extended Intelligent Water Drops algorithm for workflow scheduling in cloud computing environment," *Egypt. Informatics J.*, vol. 19, no. 1, pp. 33–55, 2018.
- [12] M. J. Usman et al., "Energy-efficient Virtual Machine Allocation Technique Using Flower Pollination Algorithm in Cloud Datacenter: A Panacea to Green Computing," *J. Bionic Eng.*, vol. 16, no. 2, pp. 354–366, 2019.
- [13] M. Kaur and S. Kadam, "A novel multi-objective bacteria foraging optimization algorithm (MOBFOA) for multi-objective scheduling," *Appl. Soft Comput. J.*, vol. 66, pp. 183–195, 2018.
- [14] M. Abdel-Basset, L. Abdle-Fatah, and A. K. Sangaiah, "An improved Lévy based whale optimization algorithm for bandwidth-efficient virtual machine placement in cloud computing environment," *Cluster Comput.*, vol. 22, pp. 8319–8334, 2019.
- [15] D. Chaudhary and B. Kumar, "Cloudy GSA for load scheduling in cloud computing," *Appl. Soft Comput. J.*, vol. 71, pp. 861–871, 2018.
- [16] K. P. N. Jayasena, L. Li, M. Abd Elaziz, and S. Xiong, "Multi-objective Energy Efficient Resource Allocation Using Virus Colony Search (VCS) Algorithm," in *Proceedings - 20th International Conference on High Performance Computing and Communications, 16th International Conference on Smart City and 4th International Conference on Data Science and Systems, HPCC/SmartCity/DSS 2018*, 2019, pp. 766–773.
- [17] S. Jeddi and S. Sharifian, "A water cycle optimized wavelet neural network algorithm for demand prediction in cloud computing," *Cluster Comput.*, vol. 22, no. 4, pp. 1397–1412, 2019.
- [18] W. Muhamad, T. Wan, N. Laila, A. Ghani, and S. M. Drus, "Recent Trends in Data Science and Soft Computing," in *A Study on Mobile Applications Developed for Children with Autism*, 2019, vol. 843, no. January, pp. 40–46.
- [19] M. A. Elaziz, S. Xiong, K. P. N. Jayasena, and L. Li, "Task scheduling in cloud computing based on hybrid moth search algorithm and differential evolution," *Knowledge-Based Syst.*, vol. 169, pp. 39–52, 2019.
- [20] A. Rajagopalan, D. R. Modale, and R. Senthilkumar, "Optimal Scheduling of Tasks in Cloud Computing Using Hybrid Firefly-Genetic Algorithm," in *International Conference on Emerging Trends in Engineering*, 2029, vol. 4, no. Vm, pp. 678–687.
- [21] C. Jatho, G. R. Gangadharan, and U. Fiore, "Optimal fitness aware cloud service composition using modified invasive weed optimization," *Swarm Evol. Comput.*, vol. 44, no. March 2018, pp. 1073–1091, 2019.
- [22] S. H. H. Madni, M. S. A. Latiff, J. Ali, and S. M. Abdulhamid, "Multi-objective-Oriented Cuckoo Search Optimization-Based Resource Scheduling Algorithm for Clouds," *Arab. J. Sci. Eng.*, vol. 44, no. 4, pp. 3585–3602, 2019.
- [23] S. H. H. Madni, M. S. Abd Latiff, S. M. Abdulhamid, and J. Ali, "Hybrid gradient descent cuckoo search (HGDCS) algorithm for resource scheduling in IaaS cloud computing environment," *Cluster Comput.*, vol. 22, no. 1, pp. 301–334, 2019.
- [24] K. Pradeep and T. Prem Jacob, "A Hybrid Approach for Task Scheduling Using the Cuckoo and Harmony Search in Cloud Computing Environment," *Wirel. Pers. Commun.*, vol. 101, no. 4, pp. 2287–2311, 2018.
- [25] D. Kesavaraja and A. Shenbagavalli, "QoE enhancement in cloud virtual machine allocation using Eagle strategy of hybrid krill herd optimization," *J. Parallel Distrib. Comput.*, vol. 118, pp. 267–279, 2018.
- [26] A. N. Jethava and M. R. Desai, "Optimizing multi objective based dynamic workflow using ACO and black hole algorithm in cloud computing," in *Proceedings of the 3rd International Conference on Computing Methodologies and Communication, ICCMC 2019*, 2019, no. Iccmc, pp. 1144–1147.
- [27] A. Fathima and K. Vaidehi, "Advances in Decision Sciences, Image Processing, Security and Computer Vision," in *ICETE*, 2020, vol. 4, no. Vm, pp. 608–618.
- [28] K. Karthikeyan et al., "Energy consumption analysis of Virtual Machine migration in cloud using hybrid swarm optimization (ABC-BA)," *J. Supercomput.*, pp. 1–17, 2018.
- [29] B. Gomathi, K. Krishnasamy, and B. Saravana Balaji, "Epsilon-fuzzy dominance sort-based composite discrete artificial bee colony optimisation for multi-objective cloud task scheduling problem," *Int. J. Bus. Intell. Data Min.*, vol. 13, no. 1–3, pp. 247–266, 2018.
- [30] D. Gabi, A. S. Ismail, A. Zainal, Z. Zakaria, and A. Abraham, "Orthogonal Taguchi-based cat algorithm for solving task scheduling problem in cloud computing," *Neural Comput. Appl.*, vol. 30, no. 6, pp. 1845–1863, 2018.
- [31] N. Gobalakrishnan and C. Arun, "A new multi-objective optimal programming model for task scheduling using genetic gray Wolf optimization in cloud computing," *Comput. J.*, vol. 61, no. 10, pp. 1–14, 2018.
- [32] A. M. Manasrah and H. B. Ali, "Workflow Scheduling Using Hybrid GA-PSO Algorithm in Cloud Computing," *Wirel. Commun. Mob. Comput.*, vol. 2018, pp. 1–16, 2018.
- [33] Anu and A. Singhrova, "Prioritized GA-PSO algorithm for efficient resource allocation in fog computing," *Indian J. Comput. Sci. Eng.*, vol. 11, no. 6, pp. 907–916, 2020.