

- [11] Ng, P. E., & Ma, K. K. (2006). A switching median filter with boundary discriminative noise detection for extremely corrupted images. *Image Processing, IEEE Transactions on*, 15(6), 1506-1516
- [12] Chan, R. H., Ho, C. W., & Nikolova, M. (2005). Salt-and-pepper noise removal by median-type noise detectors and detail-preserving regularization. *Image Processing, IEEE Transactions on*, 14(10), 1479-1485
- [13] Hamza, A. B., Luque-Escamilla, P. L., Martínez-Aroza, J., & Román-Roldán, R. (1999). Removing noise and preserving details with relaxed median filters. *Journal of Mathematical Imaging and Vision*, 11(2), 161-177
- [14] Buades, A., Coll, B., & Morel, J. M. (2005, June). A non-local algorithm for image denoising. In *Computer Vision and Pattern Recognition, 2005. CVPR 2005. IEEE Computer Society Conference on* (Vol. 2, pp. 60-65). IEEE.
- [15] Frost, V. S., Stiles, J. A., Shanmugan, K. S., & Holtzman, J. (1982). A model for radar images and its application to adaptive digital filtering of multiplicative noise. *Pattern Analysis and Machine Intelligence, IEEE Transactions on*, (2), 157-166.
- [16] Buades, A., Coll, B., & Morel, J. M. (2005). A review of image denoising algorithms, with a new one. *Multiscale Modeling & Simulation*, 4(2), 490-530.
- [17] Esakkirajan, S., Veerakumar, T., Subramanyam, A. N., & PremChand, C. H. (2011). Removal of high density salt and pepper noise through modified decision based unsymmetric trimmed median filter. *Signal Processing Letters, IEEE*, 18(5), 287-290.
- [18] Kotropoulos, C., & Pitas, I. (1996). Adaptive LMS L-filters for noise suppression in images. *Image Processing, IEEE Transactions on*, 5(12), 1596-1609.
- [19] Aurich, V., & Weule, J. (1995). Non-linear gaussian filters performing edge preserving diffusion. In *Mustererkennung 1995 Springer Berlin Heidelberg*, (pp. 538-545).
- [20] Nitzberg, M., & Shiota, T. (1992). Nonlinear image filtering with edge and corner enhancement. *IEEE transactions on pattern analysis and machine intelligence*, 14(8), 826-833.
- [21] van Hateren, J. H., & Ruderman, D. L. (1998). Independent component analysis of natural image sequences yields spatio-temporal filters similar to simple cells in primary visual cortex. *Proceedings of the Royal Society of London. Series B: Biological Sciences*, 265(1412), 2315-2320.
- [22] Kazubek, M. (2003). Wavelet domain image denoising by thresholding and Wiener filtering. *Signal Processing Letters, IEEE*, 10(11), 324-326.

Authors Profile:



S Kalaivani Narayanan, currently working at the School of Electronics Engineering (SENSE), VIT University. She completed her Ph.D in Anna University during 2011. She has published more than 32 papers in Scopus indexed journals. Her specialized subjects are Image and Signal Processing, Deep learning and Computer Vision.



Jenita Subash is an Assistant Professor in the Department of ECE, Cambridge Institute of Technology, Bangalore. She always focus on research in the area of digital image processing and Stastical Signal Processing. Her qualifications include M.E in Communication Systems (Anna University), B.E(ECE) – Anna University, and she is perusing Ph.D in Vellore Institute of Technology, Vellore, under the guidance of Dr. Kalaivani. S.