

References

- [1] Oh, K., Chung, Y.C., Kim, K.W. et al. Classification and Visualization of Alzheimer's Disease using Volumetric Convolutional Neural Network and Transfer Learning. *Sci Rep* 9, 18150 (2019). <https://doi.org/10.1038/s41598-019-54548-6>
- [2] Grundman, M., Petersen, R. C. & Ferris, S. H. Mild cognitive impairment can be distinguished from Alzheimer disease and normal aging for clinical trials. *Archives of Neurology*. 61, 59–66 (2004).
- [3] Davatzikos, C., Fan, Y., Wu, D. X. & Shen, S. M. Detection of prodromal Alzheimer's disease via pattern classification of magnetic resonance imaging. *Neurobiology of Aging*. 29, 514–523 (2008).
- [4] Suk, H. I., Lee, S. W. & Dinggang, L. Deep ensemble learning of sparse regression models for brain disease diagnosis. *Medical Image Analysis* 37, 101–113 (2017).
- [5] Hayit, G., Bram van, G. & Ronald, M. S. Guest Editorial Deep Learning in Medical Imaging: Overview and Future Promise of an Exciting New Technique. *IEEE Transactions on Medical Imaging*. 35, 1153–1159 (2016).
- [6] Litjens, G. A. Survey on Deep Learning in Medical Image Analysis. *IEEE Transactions on Medical Imaging*. 42, 60–88 (2017).
- [7] Rashid, B. et al. Classification of schizophrenia and bipolar patients using static and dynamic resting-state fMRI brain connectivity. *Neuroimage*. 134, 645–657 (2016).
- [8] Arbabshirani, M. R., Castro, E. & Calhoun, V. D. Accurate classification of schizophrenia patients based on novel resting-state fMRI features. In: EMBC, <https://doi.org/10.13140/2.1.1332.6723>, 2014 (2014).
- [9] Pinaya, W. H. L. et al. Using deep belief network modelling to characterize differences in brain morphometry in schizophrenia. *Scientific Reports*. 6, 38897 (2016).
- [10] LeCun, Y., Bengio, Y. & Hinton, G. Deep learning. *Nature*. 521, 436–444 (2015).
- [11] Plis, S. M. et al. Deep learning for neuroimaging: a validation study. *Frontier Neuroscience*. 8, 1–11 (2014).
- [12] Shen, D., Wu, G. & Suk, H. Deep Learning in Medical Image Analysis. *Annual Review of Biomedical Engineering*. 19, 221–248 (2017).
- [13] Payan, A. & Montana, G. Predicting Alzheimer's disease: a neuroimaging study with 3D convolutional neural networks. In: ICPRAM. 355–362 (2015).
- [14] Vieira, S., Pinaya, W. H. L. & Mechelli, A. Using deep learning to investigate the neuroimaging correlates of psychiatric and neurological disorders: method and applications. *Neurosci Biobehav Review*. 74, 58–75 (2017).
- [15] Kim, J., Calhoun, V. D., Shim, E. & Lee, J. H. Deep neural network with weight sparsity control and pre-training extracts hierarchical features and enhances classification performance: evidence from whole-brain resting-state functional connectivity patterns of schizophrenia. *Neuroimage*. 124, 127–146 (2016).
- [16] Lee, G. et al. Predicting Alzheimer's disease progression using multi-modal deep learning approach. *Sci Rep*. 9(1), 1952 (2019).
- [17] Liu, M., Zhang, J., Lian, C. & Shen, D. Weakly Supervised Deep Learning for Brain Disease Prognosis Using MRI and Incomplete Clinical Scores. *IEEE Transactions on Cybernetics*, <https://doi.org/10.1109/TCYB.2019.2904186> (2019).
- [18] Krizhevsky, A., Sutskever, I. & Hinton, G. Imagenet classification with deep convolutional neural networks. *Neural Information Processing Systems*. 25, 1097–1105 (2012).
- [19] Bar, Y., Diamant, I., Wolf, L. & Greenspan, H. Deep learning with non-medical training used for chest pathology identification. In: SPIE Medical Imaging, <https://doi.org/10.1117/12.2083124> (2015).
- [20] Abrol, A et al. Deep Residual Learning for Neuroimaging: An application to Predict Progression to Alzheimer's Disease. *bioRxiv*, <https://doi.org/10.1101/470252> (2018).
- [21] Fedorov, A. et al. Prediction of Progression to Alzheimer's disease with Deep InfoMax. *arXiv:1904.10931* (2019). Rieke, J., Fabian, E., Weygandt, M., Haynes, J. D. & Ritter, K. Visualizing Convolutional Networks for MRI-Based Diagnosis of Alzheimer's Disease. *MICCAI*. 24–31 (2018).
- [22] Yang, C., Rangarajan, A. & Rnaka, S. Visual Explanations From Deep 3D Convolutional Neural Networks for Alzheimer's Disease Classification. In: *AMIA* (2018).
- [23] Korolev, S., Safiullin, A., Belyaev, M. & Dodonova, Y. Residual and plain convolutional neural networks for 3D brain MRI classification. In *ISBI*, <https://doi.org/10.1109/ISBI.2017.7950647> (2017).
- [24] Hosseini-Asl, E., Keynton, R. & El-Baz, A. Alzheimer's disease diagnostics by a 3D deeply supervised adaptable convolutional network. *Frontiers In Bioscience. Landmark* 23, 584–596 (2018).
- [25] Kilian, H. et al. Multimodal Hippocampal Subfeld Grading For Alzheimer's Disease Classification, <https://doi.org/10.1101/293126> (2018).
- [26] Suk, H. I. & Shen, D. Deep Learning-Based Feature Representation for AD/MCI Classification. In: *MICCAI*. 583–590 (2013).

Author Profile



Ms. Deepa.D, received B.E degree in 2006 from Anna University, obtained M.Tech degree from BIHER in 2009 and doing research in Computer Science and Engineering in Bharath Institute of Higher Education and Research, Chennai, India. My current research interests are in Data Mining, Image Processing, Machine Learning, Artificial Intelligence, Data science.



Dr. ANITHA KARTHI received her B.E degree from the University of Madras, Chennai, India in 1998. She obtained her M.E. degree (First Class with Distinction) from CEG, Anna University, Chennai, India in 2007 and her Ph.D. degree from CEG, Anna University, Chennai, India in 2013. She is currently working as a Professor in the Department of Computer Science and Engineering, Bharath Institute of Higher Education and Research, Chennai, India. Her current research interests are in data science, machine learning, and IoT applications in the field of Electrical, Electronics, and Computer Science Engineering.